



©2014

Correlation to the Common Core State Standards *Compacted Pathway - Algebra 1*

The Big Ideas Math Algebra 1 textbook consists of 12 chapters and combines Common Core Grade 8 standards and Common Core Algebra 1 standards as outlined in the Traditional Accelerated Pathway in Appendix A of the Common Core State Standards for Mathematics. All of the Common Core Algebra 1 standards are covered in this textbook, as shown in this correlation.

| | Standard | Pages or Locations Where Standard is Addressed |
|---------|---|---|
| Concept | ual Category: Number and Quantity | |
| Domain: | The Real Number System | |
| N.RN.1 | Explain how the definition of the meaning of rational exponents follows from extending the properties of integer exponents to those values, allowing for a notation for radicals in terms of rational exponents. | Primary SE/TE: 276-281 (6.3) |
| N.RN.2 | Rewrite expressions involving radicals and rational exponents using the properties of exponents. | <i>Primary SE/TE:</i> 268-275 (6.2), 276-281 (6.3) <i>Supporting SE/TE:</i> 292-293 (Ext. 6.4), 453, 508-509 (Ext. 10.1), 510-517 (10.2) |
| N.RN.3 | Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational; and that the product of a nonzero rational number and an irrational number is irrational. | <i>Primary SE/TE:</i> 266-267 (Ext. 6.1) |
| Domain: | Quantities | |
| N.Q.1 | Use units as a way to understand problems and to guide the solution of multi-step problems; choose and interpret units consistently in formulas; choose and interpret the scale and the origin in graphs and data displays. | Supporting: Found throughout. For example SE/TE: 26-31 (1.4), 42-47 (2.1), 58-63 (2.3), 64-69 (2.4), 78-83 (2.6), 86-91 (2.7), 202-207 (5.1), 208-209 (Ext. 5.1), 210-215 (5.2), 292-293 (Ext. 6.4), 294-299 (6.5), 300-305 (6.6) |
| N.Q.2 | Define appropriate quantities for the purpose of descriptive modeling. | Supporting: Found throughout. For example SE/TE: 2-9 (1.1), 10-15 (1.2), 18-23 (1.3), 26-31 (1.4), 64-69 (2.4), 86- 91 (2.7), 110-115 (3.2), 126-131 (3.4), 132-135 (Ext. 3.4), 136- 143 (3.5), 154-159 (4.1), 160-165 (4.2), 168-175 (4.3), 184- 191 (4.5) |
| N.Q.3 | Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. | <i>Supporting:</i> Found throughout. For example SE/TE: 263, 279, 293, 458-461, 465, 471, 479, 505-507, 509, 510-517 (10.2), 550-557 (11.2), 612-617 (12.2), 636-643 (12.5), 644-651 (12.6) |

| | Standard | Pages or Locations Where Standard is Addressed | | | |
|----------------------------|--|---|--|--|--|
| Concept | Conceptual Category: Algebra | | | | |
| Domain: | Seeing Structure in Expressions | | | | |
| A.SSE.1 | Interpret expressions that represent a quantity in terms of its context. | | | | |
| | a. Interpret parts of an expression, such as terms, factors, and coefficients. | Primary SE/TE: 294-299 (6.5), 300-305 (6.6) Supporting SE/TE: 18-23 (1.3), 328-333 (7.1) | | | |
| | b. Interpret complicated expressions by viewing one or more of their parts as a single entity. | <i>Primary SE/TE:</i> 294-299 (6.5), 300-305 (6.6) | | | |
| A.SSE.2 | Use the structure of an expression to identify ways to rewrite it. | Primary SE/TE: 362-367 (7.6), 368-375 (7.7), 376-381 (7.8), 382-387 (7.9), 388-389 (Ext. 7.9), 560-565 (11.3), 568-573 (11.4), 574-579 (11.5), 580-587 (11.6) Supporting SE/TE: 399, 453, 456, 468-473 (9.3), 476-483 (9.4), 484-485 (Ext. 9.4) | | | |
| A.SSE.3 | Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. | | | | |
| | a. Factor a quadratic expression to reveal the zeros of the function it defines. | Primary SE/TE: 362-367 (7.6), 368-375 (7.7), 376-381 (7.8), 382-387 (7.9), 388-389 (Ext. 7.9) Supporting SE/TE: 454-461 (9.1), 468-473 (9.3), 476-483 (9.4), 484-485 (Ext. 9.4), 501 | | | |
| | b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines. | Primary SE/TE: 468-473 (9.3) Supporting SE/TE: 484-485 (Ext. 9.4) | | | |
| | c. Use the properties of exponents to transform expressions for exponential functions. | <i>Primary SE/TE:</i> 294-299 (6.5), 300-305 (6.6) <i>Supporting SE/TE:</i> 284-291 (6.4), 292-293 (Ext. 6.4) | | | |
| Domain: | Arithmetic with Polynomials and Rational Expressions | | | | |
| A.APR.1 | Understand that polynomials form a system analogous to the integers, namely, they are closed under the operations of addition, subtraction, and multiplication; add, subtract, and multiply polynomials. | Primary SE/TE: 334-339 (7.2), 340-347 (7.3), 348-353 (7.4) Supporting TE: T-577 | | | |
| Domain: Creating Equations | | | | | |
| A.CED.1 | Create equations and inequalities in one variable and use them to solve problems. <i>Include equations arising from linear and quadratic functions, and simple rational and exponential functions.</i> | <i>Primary SE/TE:</i> 2-9 (1.1), 10-15 (1.2), 18-23 (1.3), 24-25 (Ext. 1.3), 104-109, (3.1), 110-115 (3.2), 116-123 (3.3), 126-131 (3.4), 132-135 (Ext. 3.4), 292-293 (Ext. 6.4), 356-361 (7.5), 454-461 (9.1), 462-467 (9.2), 468-473 (9.3), 476-483 (9.4), 484-485 (Ext. 9.4), 510-517 (10.2), 588-593 (11.7) | | | |

| | Standard | Pages or Locations Where Standard is Addressed |
|---------|---|--|
| A.CED.2 | Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales. | Primary SE/TE: 42-47 (2.1), 58-63 (2.3), 64-69 (2.4), 72-77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6) Supporting SE/TE: 216-221 (5.3), 284-291 (6.4), 294-299 (6.5), 300-305 (6.6), 401, 402-409 (8.1), 416-421 (8.3), 424- 431 (8.4), 432-433 (Ext. 8.4), 502-507 (10.1), 542-549 (11.1), 550-557 (11.2), 558-559 (Ext. 11.2) |
| A.CED.3 | Represent constraints by equations or inequalities, and by systems of equations and/or inequalities, and interpret solutions as viable or non-viable options in a modeling context. | Primary SE/TE: 2-9 (1.1), 10-15 (1.2), 18-23 (1.3), 24-25 (Ext. 1.3), 42-47 (2.1), 58-63 (2.3), 64-69 (2.4), 72-77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6), 86-91 (2.7), 104-109, (3.1), 110-115 (3.2), 116-123 (3.3), 126-131 (3.4), 132-135 (Ext. 3.4), 136- 143 (3.5), 154-159 (4.1), 160-165 (4.2), 168-175 (4.3), 176- 181 (4.4), 182-183 (Ext. 4.4), 184-191 (4.5), 216-221 (5.3), 284-291 (6.4), 294-299 (6.5), 300-305 (6.6), 356-361 (7.5), 402-409 (8.1), 416-421 (8.3), 424-431 (8.4), 432-433 (Ext. 8.4), 454-461 (9.1), 462-467 (9.2), 468-473 (9.3), 476-483 (9.4), 484-485 (Ext. 9.4), 502-507 (10.1), 510-517 (10.2), 542- 549 (11.1), 550-557 (11.2), 588-593 (11.7) Supporting SE/TE: 37, 151, 558-559 (Ext. 11.2) |
| A.CED.4 | Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving | Primary SE/TE: 26-31 (1.4) |
| Domain | Performation relations and productions and productions and v = rr to might resistance r. | Supporting SE/TE. 1-205, 527 |
| | Analyze and solve pairs of simultaneous linear equations | |
| | a. Understand that solutions to a system of two linear equations in two variables correspond to points of intersection of their graphs, because points of intersection satisfy both equations simultaneously. | Primary SE/TE: 154-159 (4.1), 176-181 (4.4), 182-183 (Ext. 4.4) Supporting SE/TE: 163, 168, 171 |
| 8.EE.8 | b. Solve systems of two linear equations in two variables algebraically, and estimate solutions by graphing the equations. Solve simple cases by inspection. c. Solve real-world and mathematical problems leading to two linear equations in two variables. | Primary SE/TE: 154-159 (4.1), 160-165 (4.2), 168-175 (4.3), 176-181 (4.4), 182-183 (Ext. 4.4) Primary SE/TE: 154-159 (4.1), 160-165 (4.2), 168-175 (4.3), 176-181 (4.4), 182-183 (Ext. 4.4) |
| A.REI.1 | Explain each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method. | <i>Primary SE/TE:</i> 2-9 (1.1), 10-15 (1.2), 18-23 (1.3), 24-25 (Ext. 1.3) <i>Supporting SE/TE:</i> 160-165 (4.2), 168-175 (4.3), 226, 292 |
| A.REI.3 | Solve linear equations and inequalities in one variable, including equations with coefficients represented by letters. | Primary SE/TE: 2-9 (1.1), 10-15 (1.2), 18-23 (1.3), 24-25 (Ext. 1.3), 110-115 (3.2), 116-123 (3.3), 126-131 (3.4), 132-135 (Ext. 3.4), 292-293 (Ext. 6.4) Supporting SE/TE: 153, 160-165 (4.2), 168-175 (4.3) |

| | Standard | Pages or Locations Where Standard is Addressed |
|----------|---|---|
| | Solve quadratic equations in one variable. | |
| | a. Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form. | Primary SE/TE: 468-473 (9.3) Supporting SE/TE: 476, 484-485 (Ext. 9.4) |
| A.REI.4 | b. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions [and write them as $a \pm bi$ for real numbers a and b .] | Primary SE/TE: 356-361 (7.5), 362-367 (7.6), 368-375 (7.7), 376-381 (7.8), 382-387 (7.9), 388-389 (Ext. 7.9), 454-461 (9.1), 462-467 (9.2), 468-473 (9.3), 476-483 (9.4), 484-485 (Ext. 9.4) Supporting SE/TE: 486-491 (9.5), 520-525 (10.3) |
| A.REI.5 | Prove that, given a system of two equations in two variables, replacing one equation by the sum of that equation and a multiple of the other produces a system with the same solutions. | Primary SE/TE: 168-175 (4.3) |
| A.REI.6 | Solve systems of linear equations exactly and approximately (e.g., with graphs), focusing on pairs of linear equations in two variables. | <i>Primary SE/TE:</i> 154-159 (4.1), 160-165 (4.2), 168-175 (4.3), 176-181 (4.4), 182-183 (Ext. 4.4) |
| A.REI.7 | Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. | <i>Primary SE/TE:</i> 486-491 (9.5) <i>Supporting SE/TE:</i> 457, 461 |
| A.REI.10 | Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane, often forming a curve (which could be a line). | Primary SE/TE: 42-47 (2.1), 58-63 (2.3), 64-69 (2.4), 86-91 (2.7), 154-159 (4.1)454-461 (9.1), 502-507 (10.1), 550-557 (11.2) Supporting SE/TE: 78-83 (2.6), 84-85 (Ext. 2.6), 176-181 (4.4), 182-183 (Ext. 4.4), 216-221 (5.3), 232-235 (Ext. 5.4), 284-291 (6.4), 294-299 (6.5), 300-305 (6.6), 402-409 (8.1), 416-421 (8.3), 424-431 (8.4), 432-433 (Ext. 8.4), 434-441 (8.5), 442-443 (Ext. 8.5), 510-511, 542-549 (11.1), 559 |
| A.REI.11 | Explain why the x-coordinates of the points where the graphs of the equations $y = f(x)$ and $y = g(x)$ intersect are the solutions of the equation $f(x) = g(x)$; find the solutions approximately, e.g., using technology to graph the functions, make tables of values, or find successive approximations. Include cases where $f(x)$ and/or $g(x)$ are linear, [polynomial, rational, absolute value,] exponential, [and logarithmic functions.] | <i>Primary SE/TE:</i> 176-181 (4.4), 182-183 (Ext. 4.4), 292-293 (Ext. 6.4), 454-461 (9.1), 486-491 (9.5) <i>Supporting SE/TE:</i> 154, 512-513 |
| A.REI.12 | Graph the solutions to a linear inequality in two variables as a half-plane (excluding the boundary in the case of a strict inequality), and graph the solution set to a system of linear inequalities in two variables as the intersection of the corresponding half-planes. | Primary SE/TE: 136-143 (3.5), 184-191 (4.5) Supporting SE/TE: 153 |

| | Standard | Pages or Locations Where Standard is Addressed |
|---------|---|---|
| Concep | tual Category: Functions | |
| Domain: | Interpreting Functions | |
| 8.F.1 | Understand that a function is a rule that assigns to each input exactly one output. The graph of a function is the set of ordered pairs consisting of an input and the corresponding output. | <i>Primary SE/TE:</i> 202-207 (5.1), 208-209 (Ext. 5.1), 210-215 (5.2) |
| 8.F.2 | Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). | Supporting SE/TE: 228, 230, 241, 288, 297, 409 |
| 8.F.3 | Interpret the equation $y = mx + b$ as defining a linear function, whose graph is a straight line; give examples of functions that are not linear. | Primary SE/TE: 58-63 (2.3), 72-77 (2.5), 216-221 (5.3), 236- 241 (5.5) Supporting SE/TE: 42-47 (2.1), 64-69 (2.4), 78-83 (2.6), 84-85 (Ext. 2.6), 86-91 (2.7), 224-231 (5.4) |
| 8.F.4 | Construct a function to model a linear relationship between two quantities. Determine the rate of change and initial value of the function from a description of a relationship or from two (x, y) values, including reading these from a table or from a graph. Interpret the rate of change and initial value of a linear function in terms of the situation it models, and in terms of its graph or a table of values. | Primary SE/TE: 72-77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6), 86- 91 (2.7), 216-221 (5.3) Supporting SE/TE: 58-63 (2.3), 64-69 (2.4), 210-215 (5.2), 239 |
| 8.F.5 | Describe qualitatively the functional relationship between two quantities by analyzing a graph (e.g., where the function is increasing or decreasing, linear or nonlinear). Sketch a graph that exhibits the qualitative features of a function that has been described verbally. | Found throughout. For example: <i>Primary SE/TE:</i> 48-55 (2.2), 56-57 (Ext. 2.2), 58-63 (2.3), 64- 69 (2.4), 86-91 (2.7), 236-241 (5.5), 402-409 (8.1), 416-421 (8.3), 424-431 (8.4), 432-433 (Ext. 8.4), 434-441 (8.5), 442- 443 (Ext. 8.5), 502-507 (10.1) <i>Supporting SE/TE:</i> 72-77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6), 232-235 (Ext. 5.4), 294-299 (6.5), 300-305 (6.6), 410-415 (8.2), 454-461 (9.1), 462-467 (9.2), 468-473 (9.3), 476-483 (9.4), 484-485 (Ext. 9.4) |
| F.IF.1 | Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If <i>f</i> is a function and <i>x</i> is an element of its domain, then $f(x)$ denotes the output of <i>f</i> corresponding to the input <i>x</i> . The graph of <i>f</i> is the graph of the equation $y = f(x)$. | <i>Primary SE/TE:</i> 202-207 (5.1), 208-209 (Ext. 5.1), 210-215 (5.2), 224-231 (5.4) |
| F.IF.2 | Use function notation, evaluate functions for inputs in their domains, and interpret statements that use function notation in terms of a context. | <i>Primary</i> SE/TE: 224-231 (5.4), 232-235 (Ext. 5.4) Supporting SE/TE: 233, 507, 515, 549, 559 |
| F.IF.3 | Recognize that sequences are functions, sometimes defined recursively, whose domain is a subset of the integers. | <i>Primary SE/TE:</i> 242-249 (5.6), 306-311 (6.7), 312-315 (Ext. 6.7) |

| | Standard | Pages or Locations Where Standard is Addressed |
|--------|---|---|
| F.IF.4 | For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities, and sketch graphs showing key features given a verbal description of the relationship. <i>Key features include: intercepts; intervals where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and [periodicity.]</i> | Primary SE/TE: 58-63 (2.3), 64-69 (2.4), 72-77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6), 86-91 (2.7), 232-235 (Ext. 5.4), 294-299 (6.5), 300-305 (6.6), 402-409 (8.1), 410-415 (8.2), 416-421 (8.3), 424-431 (8.4), 432-433 (Ext. 8.4), 434-441 (8.5), 442-443 (Ext. 8.5), 454-461 (9.1), 476-483 (9.4), 502-507 (10.1) Supporting SE/TE: 48-55 (2.2), 56-57 (Ext. 2.2), 462-467 (9.2), 468-473 (9.3), 484-485 (Ext. 9.4) |
| F.IF.5 | Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes. For example, if the function <i>h</i> (<i>n</i>) gives the number of person-hours it takes to assemble <i>n</i> engines in a factory, then the positive integers would be an appropriate domain for the function. | Primary SE/TE: 202-207 (5.1), 208-209 (Ext. 5.1), 210-215 (5.2), 216-221 (5.3), 402-409 (8.1) Supporting SE/TE: 42-47 (2.1), 58-63 (2.3), 64-69 (2.4), 78-83 (2.6), 84-85 (Ext. 2.6), 86-91 (2.7), 224-231 (5.4), 294-299 (6.5), 300-305 (6.6), 410-415 (8.2), 416-421 (8.3), 424-431 (8.4), 432-433 (Ext. 8.4), 462-467 (9.2) |
| F.IF.6 | Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval. Estimate the rate of change from a graph. | <i>Primary SE/TE:</i> 48-55 (2.2), 56-57 (Ext. 2.2), 58-63 (2.3), 72- 77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6), 86-91 (2.7), 216-221 (5.3), 434-441 (8.5), 442-443 (Ext. 8.5) <i>Supporting SE/TE:</i> 64-69 (2.4) |
| | Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases. | |
| F.IF.7 | a. Graph linear and quadratic functions and show intercepts, maxima, and minima. | Primary SE/TE: 42-47 (2.1), 58-63 (2.3), 64-69 (2.4), 402-409 (8.1), 416-421 (8.3), 424-431 (8.4), 432-433 (Ext. 8.4) Supporting SE/TE: 72-77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6), 86-91 (2.7), 216-221 (5.3), 434-441 (8.5), 442-443 (Ext. 8.5), 449 |
| | b. Graph square root, [cube root,] and piecewise-defined functions, including step functions and absolute value functions. | Primary SE/TE: 232-235 (Ext. 5.4), 502-507 (10.1) |
| | e. Graph exponential [and logarithmic] functions, showing intercepts and end behavior, [and trigonometric functions, showing period, midline, and amplitude.] | Primary SE/TE: 284-291 (6.4), 294-299 (6.5), 300-305 (6.6) |

| | Standard | Pages or Locations Where Standard is Addressed |
|---------|---|--|
| | Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. | |
| F.IF.8 | a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context. | <i>Primary SE/TE:</i> 356-361 (7.5), 468-473 (9.3) <i>Supporting SE/TE:</i> 365, 367, 484-485 (Ext. 9.4) |
| | b. Use the properties of exponents to interpret expressions for exponential functions. | Primary SE/TE: 294-299 (6.5), 300-305 (6.6) Supporting SE/TE: 284-291 (6.4) |
| F.IF.9 | Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions). | Supporting SE/TE: 228, 230, 241, 288, 297, 409 |
| Domain: | Building Functions | |
| | Write a function that describes a relationship between two quantities. | |
| F.BF.1 | a. Determine an explicit expression, a recursive process, or steps for calculation from a context. | Found throughout. For example: <i>Primary SE/TE:</i> 72-77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6), 86- 91 (2.7), 154-159 (4.1), 160-165 (4.2), 168-175 (4.3), 176-181 (4.4), 182-183 (Ext. 4.4), 216-221 (5.3), 242-249 (5.6), 294- 299 (6.5), 300-305 (6.6), 306-311 (6.7), 312-315 (Ext. 6.7), 542-549 (11.1) <i>Supporting SE/TE:</i> 233, 288, 291, 413-415, 438, 440-441, 584, 586-587 |
| | b. Combine standard function types using arithmetic operations. | Supporting SE/TE: 299 |
| F.BF.2 | Write arithmetic and geometric sequences both recursively and with an explicit formula, use them to model situations, and translate between the two forms. | <i>Primary SE/TE:</i> 242-249 (5.6), 259, 306-311 (6.7), 312-315 (Ext. 6.7) |
| F.BF.3 | Identify the effect on the graph of replacing $f(x)$ by $f(x) + k$, $kf(x)$, $f(kx)$, and $f(x + k)$ for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology. [<i>Include recognizing even and odd functions from their graphs and algebraic expressions for them.</i>] | Primary SE/TE: 58-63 (2.3), 224-231 (5.4), 232-235 (Ext. 5.4), 402-409 (8.1), 416-421 (8.3), 432-433 (Ext. 8.4), 502-507 (10.1), 550-557 (11.2) Supporting SE/TE: 284-291 (6.4), 424-431 (8.4) |
| | Find inverse functions. | |
| F.BF.4 | a. Solve an equation of the form $f(x) = c$ for a simple function f that has an inverse and write an expression for the inverse. | <i>Primary SE/TE:</i> 558-559 (Ext. 11.2) |

| | Standard | Pages or Locations Where Standard is Addressed |
|---------|---|---|
| Domain: | Linear, Quadratic, and Exponential Models | |
| | Distinguish between situations that can be modeled with linear functions and with exponential functions. | |
| | a. Prove that linear functions grow by equal differences over equal intervals; and that exponential functions grow by equal factors over equal intervals. | Primary SE/TE: 236-241 (5.5), 242-249 (5.6), 284-291 (6.4) |
| F.LE.1 | Recognize situations in which one quantity changes at a constant rate per unit interval relative to another. | Primary SE/TE: 236-241 (5.5), 242-249 (5.6), 284-291 (6.4) |
| | c. Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another. | <i>Primary SE/TE:</i> 284-291 (6.4), 294-299 (6.5), 300-305 (6.6) <i>Supporting SE/TE:</i> 306-311 (6.7), 312-315 (Ext. 6.7) |
| F.LE.2 | Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table). | <i>Primary SE/TE:</i> 72-77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6), 86- 91 (2.7), 216-221 (5.3), 242-249 (5.6), 284-291 (6.4), 306-311 (6.7), 312-315 (Ext. 6.7) <i>Supporting SE/TE:</i> 297, 299, 303, 305 |
| F.LE.3 | Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, [or (more generally) as a polynomial function.] | Primary SE/TE: 434-441 (8.5), 442-443 (Ext. 8.5) |
| F.LE.5 | Interpret the parameters in a linear or exponential function in terms of a context. | <i>Primary SE/TE:</i> 58-63 (2.3), 64-69 (2.4), 72-77 (2.5), 78-83 (2.6), 84-85 (Ext. 2.6), 86-91 (2.7), 216-221 (5.3), 224-231 (5.4), 284-291 (6.4), 294-299 (6.5), 300-305 (6.6) |
| Concep | tual Category: Geometry | |
| Domain: | Geomteric Measurement and Dimension | |
| 8.G.6 | Explain a proof of the Pythagorean Theorem and its converse. | Primary SE/TE: 520-525 (10.3), 526-531 (10.4) |
| 8.G.7 | Apply the Pythagorean Theorem to determine unknown side lengths in right triangles in real- world and mathematical problems in two and three dimensions. | Primary SE/TE: 520-525 (10.3), 526-531 (10.4) |
| 8.G.8 | Apply the Pythagorean Theorem to find the distance between two points in a coordinate | Primary SE/TE: 526-531 (10.4) |
| Concen | tual Category: Statistics and Probability | [Supporting SE/TE: 320-323 (10.3) |
| Domain: | Interpreting Categorical and Quantitative Data | |
| 8.SP.1 | Construct and interpret scatter plots for bivariate measurement data to investigate patterns of association between two quantities. Describe patterns such as clustering, outliers, positive or inegative association, linear association, and nonlinear association. | Primary SE/TE: 636-643 (12.5) Supporting SE/TE: 644-651 (12.6) |

| | Standard | Pages or Locations Where Standard is Addressed |
|--------|---|--|
| 8.SP.2 | Know that straight lines are widely used to model relationships between two quantitative variables. For scatter plots that suggest a linear association, informally fit a straight line, and informally assess the model fit by judging the closeness of the data points to the line. | <i>Primary SE/TE:</i> 636-643 (12.5) |
| 8.SP.3 | Use the equation of a linear model to solve problems in the context of bivariate measurement data, interpreting the slope and intercept. | Primary SE/TE: 636-643 (12.5) |
| 8.SP.4 | Understand that patterns of association can also be seen in bivariate categorical data by displaying frequencies and relative frequencies in a two-way table. Construct and interpret a two-way table summarizing data on two categorical variables collected from the same subjects. Use relative frequencies calculated for rows or columns to describe possible association between the two variables. | Primary SE/TE: 652-657 (12.7) |
| S.ID.1 | Represent data with plots on the real number line (dot plots, histograms, and box plots). | Primary SE/TE: 618-625 (12.3), 626-633 (12.4), 658-663 (12.8) Supporting SE/TE: 606-611 (12.1) |
| S.ID.2 | Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, standard deviation) of two or more different data sets. | <i>Primary SE/TE:</i> 606-611 (12.1), 612-617 (12.2), 618-625 (12.3), 626-633 (12.4) |
| S.ID.3 | Interpret differences in shape, center, and spread in the context of the data sets, accounting for possible effects of extreme data points (outliers). | Primary SE/TE: 606-611 (12.1), 612-617 (12.2), 618-625 (12.3), 626-633 (12.4) Supporting SE/TE: 643 |
| S.ID.5 | Summarize categorical data for two categories in two-way frequency tables. Interpret relative frequencies in the context of the data (including joint, marginal, and conditional relative frequencies). Recognize possible associations and trends in the data. | Primary SE/TE: 652-657 (12.7) |
| | Represent data on two quantitative variables on a scatter plot, and describe how the variables are related. | |
| S.ID.6 | a. Fit a function to the data; use functions fitted to data to solve problems in the context of the data. Use given functions or choose a function suggested by the context. Emphasize linear and exponential models. | Primary SE/TE: 636-643 (12.5) |
| | b. Informally assess the fit of a function by plotting and analyzing residuals. | Primary SE/TE: 644-651 (12.6) |
| | c. Fit a linear function for a scatter plot that suggests a linear association. | Primary SE/TE: 636-643 (12.5) |
| S.ID.7 | Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data. | Primary SE/TE: 636-643 (12.5), 644-651 (12.6) |
| S.ID.8 | Compute (using technology) and interpret the correlation coefficient of a linear fit. | Primary SE/TE: 644-651 (12.6) |
| S.ID.9 | Distinguish between correlation and causation. | Primary SE/TE: 644-651 (12.6) |

| | Standard | Pages or Locations Where Standard is Addressed |
|---------|---|--|
| Mathema | atical Practices | |
| | | Big Ideas Math is a research-based program, systematically developed using the Common Core State Standards for Mathematical Practice as the underlying structure. The Standards for Mathematical Practice are seamlessly connected to the Common Core State Content Standards resulting in a program that maximizes both teacher effectiveness and student understanding. Every section has additional Mathematical Practice support in the Dynamic Classroom and in the online Lesson Plans at <i>BigIdeasMath.com</i> . |
| 1 | Make sense of problems and persevere in solving them. Mathematically proficient students: Explain to themselves the meaning of a problem and looking for entry points to its solution. Analyze givens, constraints, relationships, and goals Make conjectures about the form and meaning of the solution attempt. Plan a solution pathway rather than simply jumping into a solution. Consider analogous problems and try special cases and simpler forms of the original problem in order to gain insight into its solution. | Each section begins with an Essential Question. Students look for entry points using guides such as In Your Own Words. Clear step-by-step examples encourage students to plan a solution pathway rather than jumping into a solution attempt. Guided questions and instructional scaffolding support students' perseverance. |
| | Monitor and evaluate their progress and change course if necessary. Transform algebraic expressions or change the viewing window on their graphing calculator to get information. Explain correspondences between equations, verbal descriptions, tables, and graphs. Draw diagrams of important features and relationships, graph data, and search for regularity or trends. Use concrete objects or pictures to help conceptualize and solve a problem. Check their answers to problems using a different method. Ask themselves, "Does this make sense?" Understand the approaches of others to solving complex problems and identify correspondences between approaches. | Sample references: Chapter 1, pages 10-15 Chapter 2, pages 48-55 Chapter 2, pages 72-77 Chapter 4, pages 160-165 Chapter 4, pages 168-175 Chapter 5, pages 242-249 Chapter 6, pages 294-299 Chapter 7, pages 376-381 Chapter 9, pages 476-483 Chapter 10, pages 510-517 Chapter 11, pages 560-565 |

| | Standard | Pages or Locations Where Standard is Addressed |
|---|--|--|
| 2 | Reason abstractly and quantitively. | |
| | Mathematically proficient students: | Students learn to represent problems by consistently using a |
| | Make sense of quantities and their relationships in problem situations. | verbal model, paying close attention to units and employing |
| | • Bring two complementary abilities to bear on problems involving quantitative relationships: | mathematical properties. This helps students represent |
| | - Decontextualize (abstract a given situation and represent it symbolically and manipulate | problems symbolically and manipulate the representative |
| | the representing symbols as if they have a life of their own, without necessarily attending to | symbols. They are taught to contextualize by thinking about |
| | their referents) and | the referents and symbols involved. |
| | - Contextualize (pause as needed during the manipulation process in order to probe into | |
| | the referents for the symbols involved) | Sample references: |
| | • Use quantitative reasoning that entails creating a coherent representation of the problem at | |
| | hand, considering the units involved, and attending to the meaning of quantities, not just how | Chapter 1, pages 18-23 |
| | to compute them . | Chapter 2, pages 64-69 |
| | Know and flexibly use different properties of operations and objects. | Chapter 3, pages 126-131 |
| | | Chapter 7, pages 328-333 |
| | | Chapter 7, pages 368-375 |
| | | Chapter 11, pages 574-579 |
| | | Chapter 12, pages 626-633 |

| | Standard | Pages or Locations Where Standard is Addressed |
|---|--|--|
| 3 | Construct viable arguments and critique the reasoning of others. | |
| | Mathematically proficient students: | Throughout the series students are expected to develop |
| | Understand and use stated assumptions, definitions, and previously established results in | models, formulate deductions, and make conjectures. |
| | constructing arguments. | Essential Questions, Error Analysis exercises, and Reasoning |
| | Make conjectures and build a logical progression of statements to explore the truth of their | exercises provide opportunities for students to make |
| | conjectures. | assumptions, examine results, and explain their reasoning. |
| | Analyze situations by breaking them into cases. | What Is Your Answer, In Your Own Words, You Be The |
| | Recognize and use counterexamples. | Teacher, and Which One Doesn't Belong encourage debate |
| | Justify their conclusions, communicate them to others, and respond to the arguments of | and sensemaking. |
| | others. | |
| | Reason inductively about data, making plausible arguments that take into account the | Sample references: |
| | context from which the data arose. | |
| | Compare the effectiveness of two plausible arguments. | Chapter 1, pages 2-9 |
| | • Distinguish correct logic or reasoning from that which is flawed and, if there is a flaw, explain | Chapter 2, pages 78-83 |
| | what it is | Chapter 3, pages 104-109 |
| | Elementary students construct arguments using concrete referents such as objects, | Chapter 5, pages 202-207 |
| | drawings, diagrams, and actions. | Chapter 6, pages 260-265 |
| | Later students learn to determine domains to which an argument applies. | Chapter 6, pages 276-281 |
| | • Listen or read the arguments of others, decide whether they make sense, and ask useful | Chapter 7, pages 356-361 |
| | question to clarify or improve arguments. | Chapter 8, pages 410-415 |
| | | Chapter 8, pages 424-431 |
| | | Chapter 11, pages 550-557 |
| | | Chapter 11, pages 568-573 |
| | | Chapter 12, pages 652-657 |

| | Standard | Pages or Locations Where Standard is Addressed |
|---|---|---|
| 4 | Model with mathematics. | |
| | Mathematically proficient students: | In each section, students work with the mathematics of |
| | • Apply the mathematics they know to solve problems arising in everyday life, society, and the | everyday life. Students use graphs, tables, charts, number |
| | workplace. | lines, diagrams, flowcharts, and formulas to organize, make |
| | - In early grades, this might be as simple as writing an addition equation to describe a | sense of, and identify realistic solutions to real-life situations. |
| | situation. | Students write stories involving math, on topics such as using |
| | - In middle grades, a student might apply proportional reasoning to plan a school event or | percents to help them improve their grades. Visual |
| | analyze a problem in the community. | representations, such as integer tiles and fraction models, help |
| | - By high school, a student might use geometry to solve a design problem or use a function | students make sense of numeric operations. |
| | to describe how one quantity of interest depends on another. | |
| | Make assumptions and approximations to simplify a complicated situation, realizing that | Sample references: |
| | these may need revision later. | |
| | Identify important quantities in a practical situation | Chapter 4, pages 176-181 |
| | • Map their relationships using such tools as diagrams, two-way tables, graphs, flowcharts and | Chapter 5, pages 210-215 |
| | formulas. | Chapter 5, pages 216-221 |
| | Analyze those relationships mathematically to draw conclusions. | Chapter 5, pages 236-241 |
| | Interpret their mathematical results in the context of the situation. | Chapter 6, pages 300-305 |
| | • Reflect on whether the results make sense, possibly improving the model if it has not served | Chapter 7, pages 340-347 |
| | its purpose. | Chapter 7, pages 362-367 |
| | | Chapter 8, pages 434-441 |
| | | Chapter 10, pages 502-507 |
| | | Chapter 11, pages 580-587 |
| | | Chapter 12, pages 612-617 |
| | | Chapter 12, pages 658-663 |

| | Standard | Pages or Locations Where Standard is Addressed |
|---|---|--|
| 5 | Use appropriate tools strategically. Mathematically proficient students: Consider available tools when solving a mathematical problem. (pencil and paper, concrete models, ruler, protractor, calculator, spreadsheet, computer algebra system, statistical package, or dynamic geometry software) Are sufficiently familiar with tools appropriate for their grade or course to make sound decisions about when each of these tools might be helpful, recognizing both the insight to be gained and their limitations. Detect possible errors by strategically using estimation and other mathematical knowledge. Know that technology can enable them to visualize the results of varying assumptions, explore consequences, and compare predictions with data. Identify relevant external mathematical resources and use them to pose or solve problems. Use technological tools to explore and deepen their understanding of concepts. | Opportunities for students to select and use appropriate tools such as graphing calculators, protractors, measuring devices, websites, and other external resources are provided for students throughout the series. Sample references: Chapter 2, pages 42-47 Chapter 3, pages 136-143 Chapter 4, pages 154-159 Chapter 9, pages 462-467 Chapter 12, pages 644-651 |
| 6 | Attend to Precision. Mathematically proficient students: Try to communicate precisely to others. In the elementary grades, students give carefully formulated explanations to each other. In high school, students have learned to examine claims and make explicit use of definitions. Try to use clear definitions in discussion with others and in their own reasoning. State the meaning of the symbols they choose, including using the equal sign consistently and appropriately. Specify units of measure and label axes to clarify the correspondence with quantities in a problem. Calculate accurately and efficiently, express numerical answers with a degree of precision appropriate for the problem context. | Through the balanced approach to instruction, students have daily opportunities to communicate mathematically. Students work through activities, examples, and exercises to understand and use the language of mathematics, paying careful attention to the importance of units, labeling, and quantities. Sample references: Chapter 2, pages 86-91 Chapter 4, pages 184-191 Chapter 6, pages 284-291 Chapter 6, pages 284-291 Chapter 8, pages 416-421 Chapter 9, pages 454-461 Chapter 9, pages 468-473 Chapter 10, pages 526-531 Chapter 11, pages 542-549 Chapter 12, pages 636-643 |

| | Standard | Pages or Locations Where Standard is Addressed |
|---|--|--|
| 7 | Look for and make use of structure. Mathematically proficient students: Look closely to discern a pattern or structure. Young students might notice that three and seven more is the same amount as seven and three more or they may sort a collection of shapes according to how many sides the shapes have. Later, students will see 7 x 8 equals the well remembered 7 x 5 + 7 x 3, in preparation for the distributive property. In the expression x² + 9x + 14, older students can see the 14 as 2 x 7 and the 9 as 2 + 7. They recognize the significance of an existing line in a geometric figure and can use the strategy of drawing an auxiliary line for solving problems. Step back for an overview and can shift perspective. See complicated things, such as some algebraic expressions, as single objects or composed of several objects. | Real and relevant word problems encourage students to "see" that these problems are composed of several components. Students find that some mathematical representations share common mathematical structures and learn to look for these relationships discerning inherent patterns and structures. Sample references: Chapter 1, pages 26-31 Chapter 2, pages 58-63 Chapter 3, pages 116-123 Chapter 6, pages 268-275 Chapter 7, pages 334-339 Chapter 8, pages 402-409 Chapter 12, pages 618-625 |
| 8 | Look for and express regularity in repeated reasoning. Mathematically proficient students: Notice if calculations are repeated. Look both for general methods and for shortcuts. Upper elementary students might notice when dividing 25 by 11 that they are repeating the same calculations over and over again, and conclude they have a repeated decimal. Paying attention to the calculation of slope as they repeatedly check whether the points are on the line through (1,2) with a slope 3, middle school students might abstract the equation (y-2)/(x-1)=3. Noticing the regularity in the way terms cancel when expanding (x-1)(x+1), (x-1)(x²+x+1), and (x-1)(x³+x²+x+1) might lead high school students to the general formula for the sum of a geometric series. Maintain oversight of the process of solving a problem, while attending to the details. | The series helps students see that mathematics is well structured and predictable. Students work through a problem, not through the numbers. They consider factors such as an appropriate answer to the question, reasonable intermediate steps, and a realistic solution. Sample references: Chapter 3, pages 110-115 Chapter 5, pages 224-231 Chapter 6, pages 306-311 Chapter 7, pages 348-353 Chapter 7, pages 348-353 Chapter 7, pages 382-387 Chapter 9, pages 486-491 Chapter 10, pages 520-525 Chapter 11, pages 588-593 Chapter 12, pages 606-611 |