


Correlation to the
**Common Core State Standards
for Mathematics
Grade 2**



**Houghton Mifflin Harcourt
Go Math! Grade 2
Common Core Edition ©2015**

Houghton Mifflin Harcourt
GO Math! Grade 2 ©2015
Common Core Edition

correlated to the

Common Core State Standards for Mathematics
Grade 2

Standards	Descriptor	Citations
Standards for Mathematical Practice		
SMP.1	Make sense of problems and persevere in solving them.	SE: 28, 50, 58, 84, 100, 126, 138, 144, 166, 170, 184, 194, 206, 211, 218, 226, 240, 252, 258, 264, 273, 282, 288, 294, 300, 306, 319, 326, 338, 356, 365, 371–372, 378, 380, 398, 400, 415, 424, 427, 430, 433, 442, 445, 448, 467, 470, 488, 506, 521, 523, 527, 556, 565, 580, 610, 612, 618, 621, 627, 634, 642, 654, 660, 671, 673, 683, 711, 719, 729, 748, 754, 766 TE: 28, 50, 58, 84, 100, 126, 138, 144, 166, 170, 184, 194, 206, 211, 218, 226, 240, 252, 258, 264, 273, 282, 288, 294, 300, 306, 319, 326, 338, 356, 365, 371, 372, 378, 380, 398, 400, 415, 424, 427, 430, 433, 442, 445, 448, 467, 470, 488, 506, 521, 523, 527, 556, 565, 580, 610, 612, 618, 621, 627, 634, 642, 654, 660, 671, 673, 683, 711, 719, 729, 748, 754, 766
SMP.2	Reason abstractly and quantitatively.	SE: 22, 108, 113, 117, 120, 125, 129, 137, 143, 200, 213, 214, 225, 275, 285, 287, 291, 332, 342, 373, 377, 394, 412, 423, 499, 530, 544, 560, 571–572, 578, 622, 639, 659, 672, 767 TE: 22, 108, 113, 117, 120, 125, 129, 137, 143, 200, 213, 214, 225, 275, 285, 287, 291, 332, 342, 373, 377, 394, 412, 423, 499, 530, 544, 560, 571, 572, 578, 622, 639, 659, 672, 767

Houghton Mifflin Harcourt *GO Math! Grade 2* ©2015 correlated to the
Common Core State Standards for Mathematics, Grade 2

Standards	Descriptor	Citations
SMP.3	Construct viable arguments and critique the reasoning of others.	<p>SE: 15, 21, 27, 33, 43, 57, 81, 102, 119, 195, 207, 251, 270, 281, 299, 305, 325, 347, 361, 367, 399, 405, 417, 435, 441, 516, 529, 549, 586, 615, 640, 655, 661, 677, 680, 685, 705, 717, 725, 737, 741, 747, 759</p> <p>TE: 15, 21, 27, 33, 43, 57, 81, 102, 119, 195, 207, 251, 270, 281, 299, 305, 325, 347, 361, 367, 399, 405, 417, 435, 441, 516, 529, 549, 586, 615, 640, 655, 661, 677, 680, 685, 705, 717, 725, 737, 741, 747, 759</p>
SMP.4	Model with mathematics.	<p>SE: 13, 26, 31, 33, 55, 75, 90, 93, 95, 136, 163, 193, 205, 212, 223, 237, 244, 261, 286, 292, 293, 300, 335, 366, 379, 393, 406, 421, 470, 480, 488, 492, 498, 503, 517, 565–566, 590, 621, 636, 641, 653, 656, 666, 679, 684, 713, 717, 724, 726, 732, 736, 760, 768</p> <p>TE: 13, 26, 31, 33, 55, 75, 90, 93, 95, 136, 163, 193, 205, 212, 223, 237, 244, 261, 286, 292, 293, 300, 335, 366, 379, 393, 406, 421, 470, 480, 488, 492, 498, 503, 517, 565, 566, 590, 621, 636, 641, 653, 656, 666, 679, 684, 713, 717, 724, 726, 732, 736, 760, 768</p>
SMP.5	Use appropriate tools strategically.	<p>SE: 20, 27, 28, 32, 38, 39, 52, 56, 57, 61, 101, 131, 177, 199, 208, 217, 245, 255, 268, 317, 324, 330, 343, 359, 368, 391–392, 509–510, 541, 543, 548, 554, 559, 573, 585, 591, 603–604, 617, 630, 635, 686, 712, 743</p> <p>TE: 20, 27, 28, 32, 38, 39, 52, 56, 57, 61, 101, 131, 177, 199, 208, 217, 245, 255, 268, 317, 324, 330, 343, 359, 368, 391–392, 509–510, 541, 543, 548, 554, 559, 573, 585, 591, 603–604, 617, 630, 635, 686, 712, 743</p>

Standards	Descriptor	Citations
SMP.6	Attend to precision.	<p>SE: 14, 25, 27, 34, 37, 44, 46, 76, 83, 99–100, 107, 118, 123, 132, 135, 141, 176, 181, 189, 201, 220, 224, 238, 243, 246, 250, 257, 263, 267, 280, 297, 304, 320, 331, 337, 344, 353, 355, 362, 374, 397, 403, 409, 411, 422, 428, 434, 439, 446, 469, 473, 476, 479, 491, 504, 512, 515, 524, 547, 550, 553, 562, 574, 577, 583, 592, 605, 609, 616, 628, 633, 639, 662, 665, 674, 678, 706, 708, 714, 718, 731, 735, 738, 750, 753, 755–756, 761–762</p> <p>TE: 14, 25, 27, 34, 37, 44, 46, 76, 83, 99, 100, 107, 118, 123, 132, 135, 141, 176, 181, 189, 201, 220, 224, 238, 243, 246, 250, 257, 263, 267, 280, 297, 304, 320, 331, 337, 344, 353, 355, 362, 374, 397, 403, 409, 411, 422, 428, 434, 439, 446, 469, 473, 476, 479, 491, 504, 512, 515, 524, 547, 550, 553, 562, 574, 577, 583, 592, 605, 609, 616, 628, 633, 639, 662, 665, 674, 678, 706, 708, 714, 718, 731, 735, 738, 750, 753</p>
SMP.7	Look for and make use of structure.	<p>SE: 15, 21, 45, 49, 55, 61–62, 77, 82, 88–89, 94, 102, 105–106, 112, 124, 130, 164, 171, 175, 183, 187, 219, 256, 262, 274, 279, 336, 348, 354, 440, 468, 474, 493, 497, 500, 505, 528, 555, 579, 611, 629, 720, 723, 730</p> <p>TE: 15, 21, 45, 49, 55, 61, 62, 77, 82, 88–89, 94, 102, 105, 106, 112, 124, 130, 164, 171, 175, 183, 187, 219, 256, 262, 274, 279, 336, 348, 354, 440, 468, 474, 493, 497, 500, 505, 528, 555, 579, 611, 629, 720, 723, 730</p>
SMP.8	Look for and express regularity in repeated reasoning.	<p>SE: 19, 46, 55, 63, 78, 84, 96, 111, 142, 165, 169, 188, 202, 239, 249, 269, 298, 303, 318, 323, 341, 360, 404, 410, 416, 436, 442, 447, 475, 482, 485–486, 511, 518, 522, 542, 561, 584, 606, 742, 749</p> <p>TE: 19, 46, 55, 63, 78, 84, 96, 111, 142, 165, 169, 188, 202, 239, 249, 269, 298, 303, 318, 323, 341, 360, 404, 410, 416, 436, 442, 447, 475, 482, 485–486, 511, 518, 522, 542, 561, 584, 606, 742, 749</p>

Houghton Mifflin Harcourt *GO Math! Grade 2* ©2015 correlated to the
Common Core State Standards for Mathematics, Grade 2

Standards	Descriptor	Citations
Standards for Mathematical Content		
2.OA	Operations and Algebraic Thinking	
Represent and solve problems involving addition and subtraction		
2.OA.1	Use addition and subtraction within 100 to solve one- and two-step word problems involving situations of adding to, taking from, putting together, taking apart, and comparing, with unknowns in all positions, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem.	SE: 205–207, 208, 209–210, 211–213, 214, 215–216, 285–287, 288, 289–290, 291–293, 294, 295–296, 365–367, 368, 369–370, 371–373, 374, 375–376, 377–379, 380, 381–382 TE: 205A–205B, 205–210, 211A–211B, 211–216, 285A–285B, 285–290, 291A–291B, 291–296, 365A–365B, 365–370, 371A–371B, 371–376, 377A–377B, 377–382
Add and subtract within 20		
2.OA.2	Fluently add and subtract within 20 using mental strategies. By end of Grade 2, know from memory all sums of two one-digit numbers.	SE: 163–165, 166, 167–168, 169–171, 172, 173–174, 175–177, 178, 179–180, 181–183, 184, 185–186, 187–189, 190, 191–192, 193–195, 197–198, 199–201, 202, 203–204 TE: 163A–163B, 163–168, 169A–169B, 169–174, 175A–175B, 175–180, 181A–181B, 181–186, 187A–187B, 187–192, 193A–193B, 193–195, 197–198, 199A–199B, 199–204
Work with equal groups of objects to gain foundations for multiplication		
2.OA.3	Determine whether a group of objects (up to 20) has an odd or even number of members, e.g., by pairing objects or counting them by 2s; write an equation to express an even number as a sum of two equal addends.	SE: 13–15, 16, 17–18, 19–21, 22, 22–24 TE: 13A–13B, 13–18, 19A–19B, 19–24
2.OA.4	Use addition to find the total number of objects arranged in rectangular arrays with up to 5 rows and up to 5 columns; write an equation to express the total as a sum of equal addends.	SE: 217–220, 221–222, 223–225, 226, 227–228, 741–743, 745–746 TE: 217A–217B, 217–222, 223A–223B, 223–228, 741A–741B, 741–743, 745–746

Standards	Descriptor	Citations
2.NBT	Number and Operations in Base Ten	
Understand place value		
2.NBT.1	Understand that the three digits of a three-digit number represent amounts of hundreds, tens, and ones; e.g., 706 equals 7 hundreds, 0 tens, and 6 ones. Understand the following as special cases:	SE: 81–83, 84, 85–86, 87–92, 93–95, 96, 97–98, 99–101, 102, 103–104 TE: 81A–81B, 81–86, 87A–87B, 87–92, 93A–93B, 93–98, 99A–99B, 99–104
2.NBT.1a	100 can be thought of as a bundle of ten tens — called a “hundred.”	SE: 75–77, 78, 79–80 TE: 75A–75B, 75–80
2.NBT.1b	The numbers 100, 200, 300, 400, 500, 600, 700, 800, 900 refer to one, two, three, four, five, six, seven, eight, or nine hundreds (and 0 tens and 0 ones).	SE: 75–77, 78, 79–80 TE: 75A–75B, 75–80
2.NBT.2	Count within 1000; skip-count by 5s, 10s, and 100s.	SE: 55–57, 58, 59–60, 61–63, 64, 65–66, 129–131, 132, 133–134 TE: 55A–55B, 55–60, 61A–61B, 61–66, 129A–129B, 129–134
2.NBT.3	Read and write numbers to 1000 using base-ten numerals, number names, and expanded form	SE: 25–27, 28, 29–30, 31–33, 34, 35–36, 37–39, 41–42, 43–45, 46, 47–48, 49–51, 52, 53–54, 93–95, 96, 97–98, 105–107, 108, 109–110, 111–113, 115–116, 117–119, 120, 121–122 TE: 25A–25B, 25–30, 31A–31B, 31–36, 37A–37B, 37–39, 41–42, 43A–43B, 43–48, 49A–49B, 49–54, 93A–93B, 93–98, 105A–105B, 105–110, 111A–111B, 111–113, 115–116, 117A–117B, 117–122
2.NBT.4	Compare two three-digit numbers based on meanings of the hundreds, tens, and ones digits, using $>$, $=$, and $<$ symbols to record the results of comparisons.	SE: 135–137, 138, 139–140, 141–143, 144, 145–146 TE: 135A–135B, 135–140, 141A–141B, 141–146

Standards	Descriptor	Citations
Use place value understanding and properties of operations to add and subtract		
2.NBT.5	Fluently add and subtract within 100 using strategies based on place value, properties of operations, and/or the relationship between addition and subtraction.	<p>SE: 181–183, 184, 185–186, 237–239, 240, 241–242, 243–245, 246, 247–248, 249–251, 252, 253–254, 255–257, 258, 259–260, 261–263, 264, 265–266, 267–269, 270, 271–272, 273–275, 277–278, 279–281, 282, 283–284, 285–287, 288, 289–290, 291–293, 294, 295–296, 317–319, 320, 321–322, 323–325, 326, 327–328, 329–334, 335–337, 338, 339–340, 341–343, 344, 345–346, 347–349, 351–352, 353–356, 357–358, 359–361, 362, 363–364, 365–366, 367–368, 370, 371–373, 374, 375–376, 377–379, 380, 381–382</p> <p>TE: 181A–181B, 181–186, 237A–237B, 237–242, 243A–243B, 243–248, 249A–249B, 249–254, 255A–255B, 255–260, 261A–261B, 261–266, 267A–267B, 267–272, 273A–273B, 273–275, 277–278, 279A–279B, 279–284, 285A–285B, 285–290, 291A–291B, 291–296, 317A–317B, 317–322, 323A–323B, 323–328, 329A–329B, 329–334, 335A–335B, 335–340, 341A–341B, 341–346, 347A–347B, 347–349, 351–352, 353A–353B, 353–358, 359A–359B, 359–364, 365A–365B, 365–370, 371A–371B, 371–376, 377A–377B, 377–382</p>
2.NBT.6	Add up to four two-digit numbers using strategies based on place value and properties of operations.	<p>SE: 303–305, 306, 307–308</p> <p>TE: 303A–303B, 303–308</p>
2.NBT.7	Add and subtract within 1000, using concrete models or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method. Understand that in adding or subtracting three-digit numbers, one adds or subtracts hundreds and hundreds, tens and tens, ones and ones; and sometimes it is necessary to compose or decompose tens or hundreds.	<p>SE: 391–393, 394, 395–396, 397–399, 400, 401–402, 403–405, 406, 407–408, 409–411, 412, 413–414, 415–417, 419–420, 421–423, 424, 425–426, 427–429, 430, 431–432, 433–435, 436, 437–438, 439–441, 442, 443–444, 445–447, 448, 449–450</p> <p>TE: 391A–391B, 391–396, 397A–397B, 397–402, 403A–403B, 403–408, 409A–409B, 409–414, 415A–415B, 415–417, 419–420, 421A–426, 427A–427B, 427–432, 433A–433B, 433–438, 439A–439B, 439–444, 445A–445B, 445–450</p>

Houghton Mifflin Harcourt *GO Math! Grade 2* ©2015 correlated to the
Common Core State Standards for Mathematics, Grade 2

Standards	Descriptor	Citations
2.NBT.8	Mentally add 10 or 100 to a given number 100–900, and mentally subtract 10 or 100 from a given number 100–900.	SE: 123–125, 126, 127–128, 129–131, 132, 133–134 TE: 123A–123B, 123–128, 129A–129B, 129–134
2.NBT.9	Explain why addition and subtraction strategies work, using place value and the properties of operations.	SE: 267–269, 270, 271–272, 335–337, 338, 339–340, 341–343, 344, 345–346, 433–435, 436, 437–438 TE: 267A–267B, 267–272, 335A–335B, 335–340, 341A–341B, 341–346, 433A–433B, 433–438
2.MD	Measurement and Data	
Measure and estimate lengths in standard units		
2.MD.1	Measure the length of an object by selecting and using appropriate tools such as rulers, yardsticks, meter sticks, and measuring tapes.	SE: 541–543, 544, 545–546, 547–549, 550, 551–552, 559–561, 562, 563–564, 583–585, 586, 587–588, 603–605, 606, 607–608, 615–617, 618, 619–620 TE: 541A–541B, 541–546, 547AA–547B, 547–552, 559A–559B, 559–564, 583A–583B, 583–588, 603A–603B, 603–608, 615A–615B, 615–620
2.MD.2	Measure the length of an object twice, using length units of different lengths for the two measurements; describe how the two measurements relate to the size of the unit chosen.	SE: 571–573, 574, 575–576, 627–629, 630, 631–632 TE: 571A–571B, 571–576, 627A–627B, 627–632
2.MD.3	Estimate lengths using units of inches, feet, centimeters, and meters.	SE: 553–555, 556, 557–558, 577–579, 580, 581–582, 609–611, 612, 613–614, 633–635, 636, 637–638 TE: 553A–553B, 553–558, 577A–577B, 577–582, 609A–609B, 609–614, 633A–633B, 633–638
2.MD.4	Measure to determine how much longer one object is than another, expressing the length difference in terms of a standard length unit.	SE: 639–641, 642, 643–644 TE: 639A–639B, 639–644

Standards	Descriptor	Citations
Relate addition and subtraction to length		
2.MD.5	Use addition and subtraction within 100 to solve word problems involving lengths that are given in the same units, e.g., by using drawings (such as drawings of rulers) and equations with a symbol for the unknown number to represent the problem.	SE: 565–567, 569–570, 621–623, 625–626 TE: 565A–565B, 565–567, 569–570, 621A–621B, 621–623, 625–626
2.MD.6	Represent whole numbers as lengths from 0 on a number line diagram with equally spaced points corresponding to the numbers 0, 1, 2, ..., and represent whole-number sums and differences within 100 on a number line diagram.	SE: 199–201, 202, 203–204, 621–623, 625–626, 671–673, 674, 675–676, 677–679, 680, 681–682 TE: 199A–199B, 199–204, 621A–621B, 621–623, 625–626, 671A–671B, 671–676, 677A–677B, 677–682
Work with time and money		
2.MD.7	Tell and write time from analog and digital clocks to the nearest five minutes, using a.m. and p.m.	SE: 509–511, 512, 513–514, 515–517, 518, 519–520, 521–523, 524, 525–526, 527–529, 530, 531–532 TE: 509A–509B, 509–514, 515A–515B, 515–520, 521A–521B, 521–526, 527A–527B, 527–532
2.MD.8	Solve word problems involving dollar bills, quarters, dimes, nickels, and pennies, using \$ and ¢ symbols appropriately.	SE: 467–469, 470, 471–472, 473–475, 476, 477–478, 479–481, 482, 483–484, 485–487, 488, 489–490, 491–493, 495–496, 497–499, 500, 501–502, 503–505, 506, 507–508 TE: 467A–467B, 467–472, 473A–473B, 473–478, 479A–479B, 479–484, 485A–485B, 485–490, 491A–491B, 491–493, 495–496, 497A–497B, 497–502, 503A–503B, 503–508

Standards	Descriptor	Citations
Represent and interpret data		
2.MD.9	Generate measurement data by measuring lengths of several objects to the nearest whole unit, or by making repeated measurements of the same object. Show the measurements by making a line plot, where the horizontal scale is marked off in whole-number units.	SE: 589–591, 592, 593–594 TE: 589A–589B, 589–594
2.MD.10	Draw a picture graph and a bar graph (with single-unit scale) to represent a data set with up to four categories. Solve simple put-together, take-apart, and compare problems ⁴ using information presented in a bar graph	SE: 653–655, 656, 657–658, 659–661, 662, 663–664, 665–667, 669–670, 671–673, 674, 675–676, 677–679, 680, 681–682, 683–685, 686, 687–688 TE: 653A–653B, 653–658, 659A–659B, 659–664, 665A–665B, 665–667, 669–670, 671A–671B, 671–676, 677A–677B, 677–682, 683A–683B, 683–688
2.G	Geometry	
Reason with shapes and their attributes		
2.G.1	Recognize and draw shapes having specified attributes, such as a given number of angles or a given number of equal faces. Identify triangles, quadrilaterals, pentagons, hexagons, and cubes.	SE: 705–707, 708, 709–710, 711–713, 714, 715–716, 717–719, 720, 721–722, 723–725, 726, 727–728, 729–731, 732, 733–734, 735–737, 738, 739–740 TE: 705A–705B, 705–710, 711A–711B, 711–716, 717A–717B, 717–722, 723A–723B, 723–728, 729A–729B, 729–734, 735A–735B, 735–740
2.G.2	Partition a rectangle into rows and columns of same-size squares and count to find the total number of them.	SE: 741–743, 745–746 TE: 741A–741B, 741–743, 745–746
2.G.3	Partition circles and rectangles into two, three, or four equal shares, describe the shares using the words halves, thirds, half of, a third of, etc., and describe the whole as two halves, three thirds, four fourths. Recognize that equal shares of identical wholes need not have the same shape.	SE: 747–749, 750, 751–752, 753–755, 756, 757–758, 759–761, 762, 763–764, 765–767, 768, 769–770 TE: 747A–747B, 747–752, 753A–753, 753–758, 759A–759B, 759–764, 765A–765B, 765–770